



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

abstract:"Access path selection"

SEARCH


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published since January 1980 and Published before November 2002

Found 1 of 114,894

 Terms used **Access path selection**

Sort results by

relevance


[Save results to a Binder](#)

 Try an [Advanced Search](#)

Display results

expanded form


[Search Tips](#)

 Try this search in [The ACM Guide](#)
☐ Open results in a new window

Results 1 - 1 of 1

 Relevance scale ☐ ☐ ☐ ☐ ☐

# 1 [Query optimization I: Access paths in the "Abe" statistical query facility](#)



Anthony Klug

 June 1982 **Proceedings of the 1982 ACM SIGMOD international conference on Management of data SIGMOD '82**

Publisher: ACM Press

Full text available: pdf(1.07 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

An increasingly important part of information processing today involves the taking of counts, sums, averages, and other statistical or aggregate quantities. The "Abe" query language is designed to make formulation of complicated aggregations simple. Access path selection in Abe finds efficient ways to execute these complicated queries. Access paths for Abe queries perform "aggregate joins", that is, they compute aggregate quantities at the same time as they join subqueries with parent queries. T ...

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

 Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [AJE](#)

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((((('access path selection', variable, sql)&lt;in&gt;metadata))&lt;and&gt;(optimization&lt;in&gt;..."

e-mail

Your search matched 2 of 3515 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)» Other Resources  
(Available For Purchase)

## Top Book Results

[Monolithic Phase-Locked Loops and Clock  
Recovery Circuits](#)  
by Razavi, B.;  
Paperback, Edition: 1

[View All 1 Result\(s\)](#)

## » Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

## Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[view selected items](#) [Select All](#) [Deselect All](#)

- ☐
1. Voice-excited LPC coders for 9.6 kbps speech transmission  
Viswanathan, R.; Russell, W.; Makhoul, J.;  
[Acoustics, Speech, and Signal Processing, IEEE International Conference on ICASSP '79](#).  
Volume 4, Apr 1979 Page(s):558 - 561  
[AbstractPlus](#) | Full Text: [PDF\(89 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
- ☐
2. Localizing non-affine array references  
Mitchell, N.; Carter, L.; Ferrante, J.;  
[Parallel Architectures and Compilation Techniques, 1999. Proceedings, 1999 International Confere](#)  
12-16 Oct. 1999 Page(s):192 - 202  
Digital Object Identifier 10.1109/PACT.1999.807526  
[AbstractPlus](#) | Full Text: [PDF\(332 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

Indexed by  
[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2006 IE

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	33	(re\$generat\$3 or re\$creat\$3 or regenerat\$4 or re\$buil\$4 or re\$defin\$5) with "access path"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/05 08:09
L2	79	(re\$generat\$3 or re\$creat\$3 or regenerat\$4 or re\$buil\$4 or re\$defin\$5) same ("access path" or (access\$3 near2 path\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/05 08:10
L3	3	(re\$generat\$3 or re\$creat\$3 or regenerat\$4 or re\$buil\$4 or re\$defin\$5) same ("access path" or (access\$3 near2 path\$1)) same variable\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/05 08:12
L4	206	("access path" or (access\$3 near2 path\$1)) same variable\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/05 08:25
L5	18	((("access path" or (access\$3 near2 path\$1)) same variable\$1).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/05 08:12
L6	24	((("access path" or (access\$3 near2 path\$1)) same variable\$1).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/05 08:15
L7	4	4 and 5 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/05 08:14
L8	11443	(707/3 or 707/4 or 707/100 or 707/104 or 707/103).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/05 08:15
L9	460	("access path" or (access\$3 near2 path\$1)) and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/05 08:15
L10	206	("access path" or (access\$3 near2 path\$1)) and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/05 08:15
L11	19	("access path" or (access\$3 near2 path\$1)) same (value near4 variable\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/05 08:40
L12	2	"4956774".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/05 08:40

## EAST Search History

L13	2	("access path" or (access\$3 near2 path\$1)) and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/05 08:40
-----	---	---	--	----	-----	------------------